



ITJ

PATENTS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: <b>Mark I. Stockman</b>	)	Confirmation No.: <b>2208</b>
	)	
Application No.: <b>10/751,368</b>	)	Art Unit: <b>1797</b>
	)	
Filed: <b>January 5, 2004</b>	)	Examiner: <b>Yelena G. Gakh</b>
	)	
For: <b>Surface Plasmon Amplification By</b>	)	Attorney Docket No.: <b>10224.105001</b>
<b>Stimulated Emission of Radiation</b>	)	
<b>(SPASER)</b>	)	

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir or Madam:

In response to the Notice of Drawing Inconsistency with Specification dated May 8, 2009 (the "Notice"), please enter the following amendments and consider the following remarks.

I hereby certify that this correspondence is being deposited on June 8, 2009 with sufficient postage with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Issue Fee, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

W. Scott Petty, Registration No. 35,645